

WASHINGTON STATE
DEPARTMENT OF ECOLOGY

July 8, 1991

RECEIVED FROM

South Sound Utility Co.

Twenty dollars

DOLLARS

20.00

FUND:

General

Rec. Rev.

Basic Data

Other

Cash

SOURCE:

Water Code

Publications

Adjudications

Refunds

Check

Per. and Lic.

Investments

Registration

Other

M.O.

Permit G227514-B

Check #14493

By

Laura Hanson

Thank You

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

June 5, 1991

South Sound Utility Company
6800 Meridian Road Southeast
Olympia, Washington 98503

Re: Ground Water Permit No. G 2-27514-A, G 2-27514-B

Dear Sir or Madame:

Your applications have been approved and permits will be issued in accordance with the enclosed Reports of Examination upon payment of the statutory fee of \$40.00. Please make your check payable to the Department of Ecology.

This letter and enclosed Report of Examination constitutes our determination and order. Chapter 43.21B RCW provides that any person who feels aggrieved by such an order may submit an appeal to the Pollution Control Hearings Board of Washington, with a copy to the Director of the Department of Ecology, within 30 days from receipt of this order. Procedures for requesting a hearing may be obtained from this department.

Please send your permit fee within 30 days from the date of this letter.

Sincerely,

A handwritten signature in cursive script, reading "Gale Blomstrom", is written over the typed name.

Gale Blomstrom
Water Resources Supervisor

GB:th
Enclosures

S

South Sound Utility Co., Inc.
6800 Meridian Road Southeast
Olympia, Washington 98503-6302
Telephone 206/491-3760



June 28, 1991

Department of Ecology
7272 Cleanwater Lane
Olympia, WA 98504

Re: G2-27514A and G2-27514B
Inlet Heights Well No. 2

Attached please find a copy of the first page of the following documents which have been marked to show requested typographical corrections:

1. Application #G2-27514. It is provided for reference to the correct "area of use" legal description.
2. Report of field exam for G2-27514A. It is marked to show a redundant and erroneous insertion in the legal description which should be removed.
3. Report of field exam for G2-27514B. It is marked to show the same error and needed correction as G2-27514A as well as two fractional section transpositions which need correcting.

Also attached please find two checks each in the amount of \$20.00 for issuance of permits numbered G2-27514A-P and G2-27514B-P.

Sincerely

Gerald F. Petersen
Manager

Permit fee OK
make ~~changes~~ correction
on legal -
7/2/91 SF

S

RECEIPT

173695

WASHINGTON STATE
DEPARTMENT OF ECOLOGY

July 8, 1991

RECEIVED FROM

South Sound Utility Co.

Twenty dollars

DOLLARS

20.00

FUND:

General

Rec. Rev.

Basic Data

Other

Cash

SOURCE:

Water Code

Publications

Adjudications

Refunds

Check

Per. and Lic.

Investments

Registration

Other

M.O.

Permit G2-27514-A

Check # 14492

By

Jenna Hanson

Thank You

ECY 010-144

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

April 13, 1992

SOUTH SOUND UTILITY COMPANY
6800 MERIDIAN RD SE
OLYMPIA WA 98503-6302

Re: Ground Water Permit No. G 2-27514A P & G 2-27514B P

In reviewing your permit, we find you have not submitted a completion of construction form.

If the work has been completed on this project, please complete the enclosed form. If not, you must request an extension of one year. Please submit the statutory extension fee of \$5.00, payable to the Department of Ecology. If you are no longer interested in the permit, please sign the statement below and return to this office.

I am no longer interested in processing the Ground Water Permit No. G 2-27514A P & G 2-27514B P or obtaining a water right and I hereby agree to it being cancelled.

I understand that after the effective date of cancellation, any withdrawal of ground water exceeding 5000 gallons a day and irrigation of more than one-half acre is a violation in accordance with Chapters 90.03 and 90.44 RCW and is subject to enforcement action.

Signature

Sincerely,

A handwritten signature in cursive script that reads "Sheri Fox".

Sheri Fox
Water Resources

SF:th

S

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

July 17, 1991

South Sound Utility Company
6800 Meridian Road SE
Olympia, Washington 98503

Re: Ground Water Permit Nos. G 2-27514A P and G 2-27514B P

Dear Sir or Madame:

Enclosed are Permit Nos. G 2-27514A P and G 2-27514B P. Our information indicates that you have begun construction of your project. We are enclosing a Notice of Completion which must be filed when you have finished the work.

If you cannot complete your project by April 1, 1992, you must contact this office.

Please read the enclosed information sheet, as well as both sides of your permits.

Sincerely,

Gale Blomstrom
Water Resources Supervisor

GB:cl
Enclosures

NOTE: PLEASE ADVISE OF ANY ADDRESS CHANGE

S